

THYMOPHYLLA SETIFOLIA VAR. GREGGII (COMPOSITAE)

John L. Strother

University Herbarium
1001 Valley Life Sciences Bldg.
University of California
Berkeley, California 94720-2465, U.S.A.
strother@uclink4.berkeley.edu

The types of the names *Thymophylla greggii* and *T. greggii* var. *radiata* have been treated as convarietal within *Dyssodia setifolia* (Lagasca) Robinson or *Thymophylla setifolia* Lagasca; (e.g., M.C. Johnston, Field & Lab. 24:67. 1956; J.L. Strother, Univ. Calif. Publ. Bot. 48:65–66. 1969; J.L. Strother, Sida 11:378. 1986).

I have used the name *Thymophylla setifolia* Lagasca var. *radiata* (A. Gray) Strother. That name is illegitimate under Article 11.6 of the International Code of Botanical Nomenclature (W. Greuter et al., 2000. Regnum Veg. 138:i–xviii, 1–474). For treatment of the variety in forthcoming *Flora of North America north of Mexico*, a new combination is required:

***Thymophylla setifolia* Lagasca var. *greggii* (A. Gray) Strother, comb. nov.** BASIONYM: *Thymophylla greggii* A. Gray var. *greggii*, established by *Thymophylla greggii* A. Gray var. *radiata* A. Gray, Smithsonian Contr. Knowl. 3(5):119. 1852.